



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

## DISCLAIMERS – SUMMER 2018

*The information in this package reflects the same information that is found on the back liners of all of our books. It is important to be familiar with this information in order to properly educate the customer to ensure that the fabric is used appropriately.*

### TABLE OF CONTENTS

<b><u>EASY RIDER V .....</u></b>	<b><u>2</u></b>
General Customer Responsibilities .....	2
Care & Cleaning Instructions.....	2
<b><u>PERFORMANCE WOVENS VOL. III (Palm Beach, Stoneware).....</u></b>	<b><u>3</u></b>
General Customer Responsibilities .....	3
Chenille & Velvet .....	4
General Spot Cleaning Instructions.....	4
<b><u>PURE &amp; SIMPLE VIII .....</u></b>	<b><u>5</u></b>
General Customer Responsibilities .....	5
Environmental Shrinkage.....	5
Natural Fibers/Cotton Content .....	5
<b><u>TELAFINA XII.....</u></b>	<b><u>6</u></b>
Water Stains .....	6
Natural Fibers .....	6
Chenille, Velvet & Pile Fabrics.....	6
Embroideries .....	7
Flocked Designs .....	7
Fil-coupé.....	7
General Customer Responsibilities .....	7
Environmental Shrinkage.....	8



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

## Easy Rider V

**\*\*Note:** Items listed as stain resistant are never 100% stain "proof".

**\*\*Note:** Ink and Shoe polish will permanently stain regular PVC.

**\*\*Note:** Direct sunlight will deteriorate the fabric. Fabric is not made for outdoor use. In order to avoid any damage, the fabric should be kept away from direct exposure to the sun.

**\*\*Note:** PVC can be subject to color migration from other colors of this same fabric. To avoid color transfer the surface of this fabric should not come in contact with another color of this same fabric.

**\*\*Note:** It is the customer's responsibility to avoid applications where the face of the vinyl comes in contact with itself. Face-to-face fabric contact, along with environmental issues and/or pressure may result in peeling of the vinyl.

**\*\*Note:** Color transfer may occur with fabrics such as denim, sensuede or faux suede in dark colors that are naturally subject to crocking. Crocking often occurs in these types of fabrics in dark saturated colors like black, blue, and red.

**\*\*Note:** Upholstery nails/tacks are recommended as glue may react negatively with the chemicals in the PU or PVC.

**\*\*Note:** Faux leather/vinyl has a tendency to wrinkle or pucker when upholstering long pieces, such as benches or sectionals. To help prevent this, tufting or seaming is recommended

**\*\*Note:** Faux leathers are not breathable

**\*\*Note:** Always test any cleaning agent in a hidden part of the furniture before using.

**\*\*Note:** The use of commercial vinyl conditioners and protectants is NOT RECOMMENDED.

### General Customer Responsibilities:

It is the customer's responsibility to:

- Ensure a large enough seam allowance is used to prevent seam slippage.
- Decide the appropriate application for each fabric.
- Ensure proper care instructions are followed
- Carefully calculate pattern repeats. Due to circumstances beyond our control and variances in the manufacturing process, all pattern repeats listed are approximate and do vary. We recommend making extra allowances for pattern repeats when calculating cuts.

**Please note:** Maxwell Fabrics is committed to carrying fabrics from suppliers that meet or exceed all industry testing and standards. However, no tests are conducted with consideration to pet use as this is not considered normal use for residential fabric. Therefore, Maxwell Fabrics cannot guarantee/warrantee any fabric where pets are present under any circumstances. It is the customer's responsibility to choose fabric appropriately with consideration of pets in the home/environment.

### Care and Cleaning Instructions

Prompt cleaning is always recommended. For regular cleaning and maintenance, clean the soiled area with mild soap and water, rinse with fresh water, avoiding over-wetting, and wipe dry with a soft, lint-free clean cloth or towel. Do not dry in direct sunlight. Do not dry with a hair dryer.

**For Detailed Cleaning Instructions by Stain Type & Recommended Cleaning Products:**

[www.maxwellfabrics.com/resources](http://www.maxwellfabrics.com/resources)



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

## Performance Wovens Vol. III

### Palm Beach, Stoneware

The fabrics in this collection have been treated with **Nanotex aSure** and **Crypton Home** which **builds permanent spill and stain protection into the fiber structure**. Built-in stain repel and release technology makes cleaning easy, and since the protection is built into every fiber it will last the life of the fabric.

The best way to protect fabrics is to remove spills and stains from them as soon as possible. Nanotex aSure and Crypton Home minimize staining in protected fabrics, but cleaning may still be necessary. Remove spills immediately to make sure there will be minimal to no staining on the fabric. See instructions below.

#### General Customer Responsibilities

It is the customer's responsibility to:

- Make sure proper care instructions are followed. It is important to check the care guide before ironing or steaming to prevent puckering or shrinkage.
- Ensure a large enough seam allowance is used to prevent seam slippage.
- Decide whether to serge fabrics after cutting and before sewing to prevent fraying and tearing at seams.
- Decide the appropriate application for each fabric.
- Consider the backing of a fabric before proceeding with upholstery pieces and select appropriate backing when necessary and to decide whether to add a backing to fabric that does not have a latex backing for additional stability.
- Carefully calculate pattern repeats. Due to circumstances beyond our control and variances in the manufacturing process, all pattern repeats listed are approximate and do vary. We recommend making extra allowances for pattern repeats when calculating cuts.
- When using upholstery fabric for a long bench, sofa, or banquette, decide whether to add backing or consider adding seams and/or tufting to prevent stretching and sagging.

**Please note:** Maxwell Fabrics is committed to carrying fabrics from suppliers that meet or exceed all industry testing and standards. However, no tests are conducted with consideration to pet use as this is not considered normal use for residential fabric. Therefore, Maxwell Fabrics cannot guarantee/warrantee any fabric where pets are present under any circumstances. It is the customer's responsibility to choose fabric appropriately with consideration of pets in the home/environment.

**\*\*Note:** Due to the nature of some weave constructions, raised yarns/threads may pull or tear if caught on jewelry, buttons, or other sharp objects.

**\*\*Note:** In order to avoid any damage, fabric should be kept away from direct exposure to the sun.

**\*\*Note:** Pilling is often a normal part of wear and tear, and often more noticeable with man-made fibers, specifically acrylic. Additionally, uncontrollable environmental factors can cause pilling that cannot always be predicted. Please note that pilling is not a fabric defect, and does not affect the durability or functionality of the fabric. Pilling is easily removable with a pill shaver. For more information on pilling please refer to our Textile Reference Guide found on our website ([www.maxwellfabrics.com/resources](http://www.maxwellfabrics.com/resources)) for detailed product information.



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

### **Chenille and Velvet**

Chenille may show variations in color, texture, and hand with the intention to create a more luxurious appearance and should not be considered faulty in any way. The yarns in any pile fabric such as chenille, velvet and microfiber suede will flatten and move creating irregular surface appearance and texture. These surface variations are the nature of the fabric and should not be considered faulty or defective. Pile distortion alters the angle of light reflection producing more obvious areas where the fabric has moved creating an appearance of shading or napping. Pile fabrics created using shiny yarns such as rayon or viscose further amplify light reflection and create even more obvious areas of light and dark patches.

Velvet and chenille have a high abrasion resistance but are often not resilient to moisture from spillage or perspiration. This, in combination with pressure from sitting (including stocking & bare feet), may cause marking and shading as the pile crushes. Regardless of how carefully all velvets and chenilles are transported, handled and used some pile crushing and matting will occur and is impossible to avoid. The best way to care for upholstery and specifically fabrics with a pile is with regular vacuuming.

**\*\*Note:** Unpack velvets and chenilles immediately upon receipt and store horizontally to prevent damage.

Do not place items on top of the bolt/roll of fabric as additional weight may crush the fibers resulting in permanent damage.

### **General Spot Cleaning Instructions for Performance Wovens:**

1. Clean liquid spills quickly with a dry, clean, absorbent cloth (without design or printing). Gently blot (don't rub).
2. If any residual spot remains, remove any excess soil or debris from the surface. Flush area liberally with warm water then blot with a dry, clean absorbent cloth. Repeat steps with a dry clean cloth until the stain is gone.
3. If necessary prepare a cleaning solution of ¼ cup mild soap such as Woolite®, Dawn® dishwashing liquid or Tide® laundry detergent, per gallon of lukewarm water.
4. Apply the cleaning solution using a misting spray bottle.
5. Work the solution into the affected area by lightly scrubbing the area with a sponge or soft bristle brush. Make sure to work from the outside of the stain inward so as not to spread the stain and rinse your sponge or brush frequently.
6. Allow cleaning solution to soak into the fabric.
7. Rinse thoroughly to remove all soap residues, as residues will attract dirt. Blot excess moisture with a clean, soft towel or sponge.
8. Repeat steps 3-6 as needed.
9. Allow fabric to air dry.

### **Crypton Home and Nanotex aSure Cleaning Instructions & Recommended Cleaning Products:**

[www.maxwellfabrics.com/resources](http://www.maxwellfabrics.com/resources)



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

## Pure & Simple VIII

**\*\*Note:** Due to the nature of some weave constructions, raised yarns/threads may pull or tear if caught on jewelry, buttons, or other sharp objects.

**\*\*Note:** In order to avoid any damage, fabric should be kept away from direct exposure to the sun.

**\*\*Note:** This fabric might be prone to showing water stains, therefore take care with steam and avoid other liquid sources.

### General Customer Responsibilities:

It is the customer's responsibility to:

- Make sure proper care instructions are followed. It is important to check the care guide before steaming or ironing to prevent puckering or shrinkage.
- In order to avoid damage, fabric should be kept away from direct exposure to the sun.
- Consider the natural drape and hang of a fabric before deciding specific window treatment designs.
- Select appropriate backing or lining before manufacturing drapery treatments.
- Consider the constructions and wearability of a fabric when choosing bedding ensembles.

**Please note:** Maxwell Fabrics is committed to carrying fabrics from suppliers that meet or exceed all industry testing and standards. However, no tests are conducted with consideration to pet use as this is not considered normal use for residential fabric. Therefore, Maxwell Fabrics cannot guarantee/warrantee any fabric where pets are present under any circumstances. It is the customer's responsibility to choose fabric appropriately with consideration of pets in the home/environment.

### Environmental Shrinkage or Stretching

When shrinkage or stretching situations arise it is generally a result of unpredictable and uncontrollable environmental conditions. Fabrics react to dryness, heat and humidity in the air and can shrink or stretch. The industry accepts a 3% change in fabric length. It is completely normal for a drapery treatment to shrink up or stretch out 2-4 inches, so this should always be taken into consideration when making a hem. The fabric might stretch or shrink back again when weather or seasons change; however it does not always recover. If a fabric shrinks and the hem allowance was adequate the treatment can be let out. If the hem allowance was not adequate a false hem can be made to lengthen the treatment. If a fabric stretches, the treatment can be hemmed. However, in this case the fabric should not be cut to the original length in case it shrinks back.

### Natural Fibers/Cotton Content

Inconsistencies in quality, surface appearance, and texture are inherent characteristics of natural cottons and cotton blends. They are part of the beauty of the fabric and must not be considered defects.

Cotton is a particularly absorbent fiber, and will react to humidity in the air and may tend to shrink and stretch as the seasons change. Cotton is prone to wrinkles but can withstand relatively high heat, so ironing easily smooths wrinkles. Steam should be avoided to prevent shrinkage.



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

## Telafina XII

### Water Stains

Some fabrics are prone to show water stains, therefore avoid steam and other liquid sources.

### Natural Fibers

Inconsistencies in quality, surface appearance, and texture are inherent characteristics of natural linen, cotton, wool, and bamboo. This is part of the beauty of the fabric and must not be considered a flaw or defect.

Since linen and cotton, as well as other vegetable fibers such as flax, hemp, and bamboo are very absorbent, the fibers will react to humidity in the air and may have a tendency to shrink and stretch as the seasons change.

**Linen** is made from the fiber of the flax plant. It is highly absorbent and durable and is one of the strongest natural fibers with two to three times the strength of cotton. However, linen has poor elasticity and does not spring back readily, making it prone to wrinkles and creases.

**Wool** is a natural protein fiber that is elastic and resilient which allows for rapid wrinkle recovery and a lofty hand. Differences in the natural crimp (degree of waviness) in the fiber can produce inconsistencies in the surface texture and color of the fabric which are not to be considered flaws.

### Chenille, Velvet and Pile Fabrics

Chenille may show variations in color, texture, and hand with the intention to create a more luxurious appearance and should not be considered faulty in any way. The yarns in any pile fabric such as chenille, velvet and microfiber suede will flatten and move creating irregular surface appearance and texture. These surface variations are the nature of the fabric and should not be considered faulty or defective. Pile distortion alters the angle of light reflection producing more obvious areas where the fabric has moved creating an appearance of shading or napping. Pile fabrics created using shiny yarns such as rayon or viscose further amplify light reflection and create even more obvious areas of light and dark patches.

Velvet and chenille have a high abrasion resistance but are often not resilient to moisture from spillage or perspiration. This, in combination with pressure from sitting (including stocking & bare feet), may cause marking and shading as the pile crushes.

Regardless of how carefully all velvets and chenilles are transported, handled and used some pile crushing and matting will occur and is impossible to avoid. The best way to care for upholstery and specifically fabrics with a pile is with regular vacuuming.

**\*\*Note:** Unpack velvets and chenilles immediately upon receipt and store horizontally to prevent damage.

Do not place items on top of the bolt/roll of fabric as additional weight may crush the fibers resulting in permanent damage.



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

### **Embroideries**

It is the customer's responsibility to check the width of an embroidered pattern on the fabric as embroidery looms are often narrower than the width of the base cloth.

Due to the nature of embroidery and open mesh weaves, the embroidery yarns creating the pattern may pull or unravel if caught on jewelry, buttons, or other sharp objects. Embroidery may also unravel if exposed to continuous wear and abrasion. Extra care should be taken to avoid unravelling, pilling and tearing when using embroideries for bedding ensembles.

### **Flocked Designs**

Flocking is a technique whereby very short loose fibers are applied electrostatically to a base cloth, creating a soft, velvety hand and appearance. The flock application process can result in inconsistencies in the surface design; this is part of the unique nature of flocked textiles and is not to be considered a defect.

### **Fil-coupé**

Fil-coupé is a jacquard weaving technique that is created on the loom by the addition of extra weft yarns on the fabric which are later sheared off to produce a delicate fringe effect. Due to the fill and shearing process, the resulting design can be irregular in repeat and texture and is not intended to be pattern matched, rather the effect is that of an all-over distressed look.

### **General Customer Responsibilities**

It is the customer's responsibility to:

- Make sure proper care instructions are followed. It is important to check the care guide before ironing or steaming to prevent puckering or shrinkage.
- Carefully calculate pattern repeats. Due to circumstances beyond our control and variances in the manufacturing process, all pattern repeats listed are approximate and do vary. We recommend making extra allowances for pattern repeats when calculating cuts.
- Decide whether to add treatments to fabrics that do not already have a soil and stain repellent finish.
- Ensure a large enough seam allowance is used to prevent seam slippage.
- Decide whether to serge fabrics after cutting and before sewing to prevent fraying and tearing at seams.
- Decide the appropriate application for each fabric.
- Consider the natural drape and hang of a fabric before deciding specific window treatment designs. Some patterns are intended to have a full-bodied, billowy effect and may not hold a perfect pleat. These types of fabrics are best suited for unstructured treatments.
- Select appropriate backing or lining before manufacturing drapery treatments.
- Consider the construction and wearability of a fabric when choosing bedding ensembles.
- Consider the backing of a fabric before proceeding with upholstery pieces and decide whether to add a backing to fabric that is not already backed for additional stability.
- When using upholstery fabric for a long bench, sofa, or banquette, decide whether to add backing or consider adding seams and/or tufting to prevent stretching and sagging.



MAXWELL FABRICS  
TOLL FREE TEL 1 800 663 1159  
TOLL FREE FAX 1 800 663 6744

[www.maxwellfabrics.com](http://www.maxwellfabrics.com)

**Please note:** Maxwell Fabrics is committed to carrying fabrics from suppliers that meet or exceed all industry testing and standards. However, no tests are conducted with consideration to pet use as this is not considered normal use for residential fabric. Therefore, Maxwell Fabrics cannot guarantee/warrantee any fabric where pets are present under any circumstances. It is the customer's responsibility to choose fabric appropriately with consideration of pets in the home/environment.

**\*\*Note:** Some fabrics in this collection are created in a double-weave construction resulting in natural puckering which is the nature and beauty of this fabric and should not be considered a fault.

**\*\*Note:** Lightweight fabrics woven with novelty yarns of different weights and thicknesses to create surface interest may result in rippling or puckering in the fabric. This is not a flaw or defect but an inherent characteristic of this type of construction.

**\*\*Note:** Due to the nature of some weave constructions, raised yarns/threads may pull or tear if caught on jewelry, buttons, or other sharp objects.

**\*\*Note:** In order to avoid any damage, fabric should be kept away from direct exposure to the sun.

**\*\*Note:** Pilling is often a normal part of wear and tear, and often more noticeable with man-made fibers, specifically acrylic. Additionally, uncontrollable environmental factors can cause pilling that cannot always be predicted. Please note that pilling is not a fabric defect, and does not affect the durability or functionality of the fabric. Pilling is easily removable with a pill shaver. For more information on pilling please refer to our Textile Reference Guide found on our website ([www.maxwellfabrics.com/resources](http://www.maxwellfabrics.com/resources)) for detailed product information.

### **Environmental Shrinkage or Stretching**

When shrinkage or stretching situations arise it is generally a result of unpredictable and uncontrollable environmental conditions. Fabrics react to dryness, heat and humidity in the air and can shrink or stretch. The industry accepts a 3% change in fabric length. It is completely normal for a drapery treatment to shrink up or stretch out 2-4 inches, so this should always be taken into consideration when making a hem. The fabric might stretch or shrink back again when weather or seasons change, however it does not always recover. If a fabric shrinks and the hem allowance was adequate the treatment can be let out. If hem allowance was not adequate a false hem can be made to lengthen the treatment. If a fabric stretches, the treatment can be hemmed, but the fabric should not be cut back in case it shrinks back.